

PEMBERTON HOLMES

ESTABLISHED 1887

Information Package

For

Lot 4 Appaloosa Way, Duncan













Lot 4 Appaloosa Way

PHASE II of this beautiful acreage development continues with these new lots! These four lots are towards the end of Appaloosa Way and will have great southern exposure! Perfect horse country with loads of trails all around. These acreage lots are in a peaceful semi-rural brand new subdivision only 10 mins west of the city of Duncan. The wells are in, and septic percolation has been proved! Build your dream home on one of these acreage lots in prestigious Saddle View Estates. Hydro, cable and telephone at the road. Developers' Disclosure statement is available. Price + GST. Call today!

Priced at \$299,900

Area Bedrooms Bathrooms Lot Size West Duncan

Lot Size 141134.4 Floor Space Age Taxes

0 r 2020

Tax Year MLS# 2020 854801

Parking



DAN JOHNSON
Pemberton Holmes - Duncan

Scan this QR Code with your smart phone



(250) 746-8123 wrkn4you@gmail.com www.DuncanBCRealEstate.ca

> 23 Queens Road Duncan, V9L 2W1



Dan Johnson Cell: 250-709-4697 vrkn4you@gmail.com Pemberton Holmes Ltd. (Dun)



Title: Freehold



Lot 4 Appaloosa Way Du West Duncan ~ V9L 6J1

Interior Details

FP Feat:

Layout:

Bedrms: 0 Kitchens: 0 Baths Tot: 0 Fireplaces: Bth 2Pce: Storeys: Bth 3Pce: Fin SqFt: Bth 4Pce: **Unfin SaFt:** Bth 5Pce: Bed & Brk: Ens 2Pce: 0 Addnl Acc: Ens 3Pce: **Basement:**

Lot/Strata Information

App Incl: Intr Ftrs

Ens 4+Pce 0

Rooms **Listing Summary** Dim/Pcs MLS®: 854801 List Price: \$299,900 RoomType Level

Orig Price: \$299,900 Status: Active Sub Type: Land Sold Price: **DOM**: 22 Pend Date: Taxes: \$0 Strata Fee:

2020 Asmt: \$0

Remarks

PHASE II of this beautiful acreage development continues with these new lots! These four lots are towards the end of Appaloosa Way and will have great southern exposure! Perfect horse country with loads of trails all around. These acreage lots are in a peaceful semi-rural brand new subdivision only 10 mins west of the city of Duncan. The wells are in, and septic percolation has been proved! Build your dream home on one of these acreage lots in prestigious Saddle View Estates. Hydro, cable and telephone at the road. Developers' Disclosure statement is available. Price + GST. Call today!

Rooms Summary										
	Lower	Second	Third	Other						
Fin SqFt										
Beds	0	0	0	0	0					
Baths	0	0	0	0	0					
Kitchens	0	0	0	0	0					

Building Information Frnt Faces: Bldg Style: Cool: **Built (est)** Lgl NC Use: **Bldg Warr:** Heat: Oth Equ: EnerGuide Rtg/Dt: Roof: Const Mt: Fndn:

Ext Feat: Accss

Lot Size 141,134sqft / 3.24ac Dims (w/d): Waterfront:

Prk Type: View: Mountain(s)

Water: Well: Drilled Waste: Septic Needed Services:

Lot Feat: Wooded Lot, Quiet Area, Recreation Nearby, Rural Setting

Complex: **Prk Tota** Rent Alld?: SqFt Balc: StrLots/Cplx Prk Cm Prp: Yng Ag Alld?

SqFt Prk: Bldgs/Cplx: Pets Alld?: Prk LCP: Suites/Bldg SqFt Pat: Prk Str Lot: BBQs Alld?:

SqFt Strg: Floors/Bldg Str Lot Incl: **Gnd/Top?** Lvls/Suite:

Shrd Am: **Unit Incl:**







SURVEY PLAN CERTIFICATION PROVINCE OF BRITISH COLUMBIA

PAGE 1 OF 2 PAGES

By incorporating your electronic signature into this form you are also incorporating your electronic signature into the attached plan and you (a) represent that you are a subscriber and that you have incorporated your electronic signature to the attached electronic plan in accordance with section 168.73 (3) of the Land Title Act, RSBC 1996 c.250; and (b) certify the matters set out in section 168.73 (4) of the Land Title Act, Each term used in this representation and certification is to be given the meaning

Mitchell Laseur
R71QUR
DN: c=CA, cn=Mitchell Laseur
R71QUR, o=BC Land Surveyor,
o=Verify ID at www.juricert.com/
LKUP.cfm?id=R71QUR
Date: 2017.09.27 16:06:04 -07'00'

ascribed to it in part 10.1 of the Land			i tile illealii	iig		12		
BC LAND SURVEYOR: (Name, ad WSP Surveys (BC) Limit	-							
Mitchell J. Laseur, BCLS	3			mitch.l	aseur@	wspgrou	p.com	
301 - 3600 Uptown Boul	301 - 3600 Uptown Boulevard							
Victoria	BC V8Z	250-384-5510 File#171-13198-00-000-00-COVCV001-R0						
Surveyor General Certification	ı [For Surv	veyor General Use O	nly]					
2. PLAN IDENTIFICATION:					Contro	l Number:	150-655	-3564
Plan Number: EPP76442								
This original plan number assignmen	nt was done	e under Commission	#: 962					
3. CERTIFICATION:				Form 9	○ Expl	anatory Pla	n 🔘 Fori	n 9A
I am a British Columbia land surveyor an are correct.	d certify th	nat I was present at a	nd persona	lly superintended	l this surve	ey and that t	ne survey ar	nd plan
The field survey was completed on:	2017	September	23	(YYYY/Mont	h/DD)	The checklis	st was filed	under ECR#:
The plan was completed and checked on:	2017	September	27	(YYYY/Mont		203743		
							• None	O Strata Form S
				None None	Strat	a Form U1	O Stra	ata Form U1/U2
Arterial Highway								
Remainder Parcel (Airspace)								
4. ALTERATION:								

REFERENCE PLAN OF PART OF LOTS 3, 4 AND 6; ALL WITHIN SECTION 7, RANGE 7, SAHTLAM DISTRICT, PLAN EPP67975

Pursuant to Section 99(1)(e) of the Land Title Act

For Covenant Purposes

BCGS 92B.071

The intended plot size of this plan is 560mm in width by 432mm in height (C size) when plotted at a scale of 1:1250.

All distances are in metres and decimals thereof

Grid bearings are derived from differential GNSS observations and are referred to the central meridian of UTM Zone 10.

The UTM coordinates and estimated horizontal solutions accurate a deliver from GNSS dual frequency observations and processed using the CSRS-PPP online processing provided by Natural Resourcess Canada.

A PLAN EPP33166

REM 1

Section 8 Section

PARK P L A N

z

റ

55 135.583 5 EPP6797

Covenant Area D = 0.134 h

P L 6

SECTION 7, RANGE 7

THAY MAR

This plan shows horizontal ground-level distances, unless otherwise specified. To compute grid distances multiply ground-level distances by the average combined tactor of 0.99926fs. The average combined factor has been determined based on an ellipsoidal elevation of 114.38 metres. CGVD28 (HTV2.0).

LEGEND


- denotes standard iron post placed denotes traverse hub found denotes standard iron post found
 - (type defined on plan)



ш	AREA	0.184 ha	0.226 ha	0.560 ha	0.134 ha
BOOK OF REFERENCE	DESCRIPTION	Part of Lot 3, Plan EPP64975 (Area A)	Part of Lot 3, Plan EPP64975 (Area B)	Part of Lot 4, Plan EPP64975 (Area C)	Part of Lot 6, Plan EPP64975 (Area D)

▲TH2 (Spike)


REM SECTION 7, RANGE 8



PROJECT REF./DRAWING No. 171-13198-00-000-00-COVCV001-R0 WSP Surveys (BC) Limited Partnership 301-3600 Uplown Boulevard, Victoria, BC

The field survey represented by this plan was completed on the 23rd day of September, 2017.

Mitch Laseur, BCLS 962 ECR# 203743



8.9 R-5 ZONE – COMPREHENSIVE DEVELOPMENT RESIDENTIAL

Subject to compliance with the General Requirements in Part Five of this Bylaw, the following provisions apply in the R-5 Zone:

(a) Permitted Uses

The following uses, plus the uses permitted under Section 4.4, and no other uses, are permitted in the R-5 Zone:

- (4) One single family dwelling per parcel;
- (5) Agriculture, horticulture, including horse riding arena and boarding stable, subject to Section 8.9(b)(4) below;
- (6) Home occupation;
- (7) Bed and Breakfast accommodation;
- (8) Daycare, nursery school accessory to a residential use;
- (9) Secondary suite or small suite.

(b) <u>Conditions of Use:</u>

For any parcel in the R-5 Zone:

- (1) the parcel coverage for buildings and structures shall not exceed 20 percent;
- (2) the height of all buildings and structures shall not exceed 10 metres;
- (3) the minimum setbacks for the types of parcel lines set out in Column I of this Section are listed for the residential, agricultural and accessory uses in Columns II, III and IV:

COLUMN I	COLUMN II	COLUMN III	COLUMN IV		
Type of Parcel	Residential Use	Agricultural Use	Accessory to		
Line	Setbacks	and accessory to	Residential Use		
		Agricultural Use			
		Setbacks			
Front	7.5 metres	30 metres	7.5 metres		
Interior Side	3.0 metres	15 metres	1.0 metres		
Exterior Side	4.5 metres	15 metres	4.5 metres		
Rear	4.5 metres	15 metres	1.0 metres		

(4) Horse riding arenas and boarding stables are only permitted on parcels of land that exceed 3 hectares in area.

(c) <u>Density and Density Bonus</u>

Subject to Part 12, the following regulations apply in the R-5 Zone:

- (1) The number of parcels that may be created by subdivision in the R-5 zone must not exceed 22, including any remainder parcel.
- (2) Despite Section 8.9(c)(1), the number of parcels that may be created by subdivision in the R-5 zone may be increased to 50 if the conditions in Sections 8.9(c)(6) through (8) are met.
- (3) Density averaging is permitted, provided that the average density in any subdivision, excluding any remainder parcel, does not exceed one parcel per 1.6 hectares of gross land area.
- (4) The minimum parcel area for the purposes of s.946(4) of the *Local Government Act* is 25 hectares.
- (5) The minimum parcel area is 1 hectare.
- (6) In respect of each 4 parcels created in excess of 22, one of the parcels must be transferred to the Regional District in fee simple for nominal consideration, free and clear of all encumbrances of a financial nature, including mortgages, assignments of rents, options to purchase and rights of first refusal, and all other encumbrances including any statutory building scheme not specifically approved in writing by the Regional District, to be used for the purposes set out in Section 8.9(c)(10), and the costs of transfer including the Regional District's actual, reasonable legal costs must be paid by the subdivider.
- (7) Each parcel transferred to the regional district must be selected by the Regional District on the basis of the proposed plan of subdivision, being neither the most valuable nor the least valuable of the lots in the proposed subdivision.
- (8) Each parcel transferred to the regional district must be fully provided with hydro, cable and telephone service and highway frontage improvements to the standard provided in the rest of the subdivision, as well as a driveway to the property line, all as determined by an inspection of the parcel by the Regional District prior to the transfer. The subdivider must also provide to the Regional District proof of potable water and on-site sewage disposal capability, each as required by the local health authority or the subdivision approving officer. No parcel transferred to the Regional District may be a strata lot.
- (9) In the event that a particular subdivision creates a number of parcels producing a fraction of a parcel to be transferred under Section 8.9(c)(6), the subdivider must transfer a parcel in relation to the fraction, with the obligation to transfer parcels under this Section being adjusted upon subsequent subdivision so that the total number of parcels transferred to the Regional District under this Section does not exceed 7.
- (10) The parcels transferred to the Regional District under Section 8.9(c)(6) must be used for:
 - i. the provision of fire protection services, including the sale of one or more of the parcels and the deposit of the proceeds into the Sahtlam Fire Protection Service Area statutory reserve fund; or
 - ii. community park purposes, including the sale of one or more of the parcels and the deposit of the proceeds into an Electoral Area E or Electoral Area F community parks statutory reserve fund.

FORM 35

(section 220(1))

STATUTORY BUILDING SCHEME

HEREWITH FEES OF	÷: \$	
Address of person en	itled to apply to regis	ter this building scheme:
		ration No. BC0286799), (the " Developer ") Vancouver, B.C. V7M 2J5
Full name, address, a	nd telephone number	of person presenting application:
	Vest Georgia Street, \	DELL LLP, Barristers and Solicitors, Vancouver, B.C. V6C 3L2
		Signature of Applicant or Solicitor or Authorized Agent

CAROMAR SALES LTD. declares that:

- 1. It is the registered owner in fee simple/lessee of the lands legally described as set out on the attached Schedule "A" (collectively, the "**Lots**" and individually a "**Lot**").
- 2. It hereby creates a building scheme relating to the Lots.

NATURE OF INTEREST CHARGE: BUILDING SCHEME

- 3. A sale of any of the Lots is subject to the restrictions enumerated in the Schedule of Restrictions attached hereto.
- 4. The restrictions will be for the benefit of all the Lots.

EXECUTION(S):

	Exe	ecution D	ate	Chargeholder Signature(s)			
Officer Signature(s)	Y	М	D	CAROMAR SALES LTD., by its authorized signatory(ies)			
	17			Print Name:			
				Print Name:			
(as to both signatures)							

OFFICER CERTIFICATION

Your signature constitutes a representation that you are a solicitor, notary public or other person authorized by the *Evidence Act*, R.S.B.C. 1996, c. 124, to take affidavits for use in British Columbia and certifies the matters set out in Part 5 of the *Land Title Act* as they pertain to the execution of this instrument.

SCHEDULE A

Parcel Identifier and Legal Description of the Lots

(PID)	(LEGAL DESCRIPTION)
029-361-150	LOT 1 SECTION 7 RANGE 7 SAHTLAM DISTRICT PLAN EPP26101
029-361-168	LOT 2 SECTION 7 RANGE 7 SAHTLAM DISTRICT PLAN EPP26101
•	LOT 3 SECTION 7 RANGE 7 SAHTLAM DISTRICT PLAN EPP67975
•	LOT 4 SECTION 7 RANGE 7 SAHTLAM DISTRICT PLAN EPP67975
•	LOT 5 SECTION 7 RANGE 7 SAHTLAM DISTRICT PLAN EPP67975
•	LOT 6 SECTION 7 RANGE 7 SAHTLAM DISTRICT PLAN EPP67975
•	LOT 7 SECTION 7 RANGE 7 SAHTLAM DISTRICT PLAN EPP67975

SCHEDULE OF RESTRICTIONS

A. Definitions

For the purposes of this Building Scheme, the following words or phrases shall have the following meanings:

- (a) "Approved Plans and Specifications" means the Plans and Specifications in respect of which the Approving Authority has granted its Approval in accordance with the provisions of this Building Scheme;
- (b) "Approving Authority" means the Developer or its designated agent, or a qualified third party such as an Architect nominated or appointed by the Developer in writing from time to time to act in its stead;
- (c) "Lot" means a lot to which this Building Scheme applies;
- (d) "Owner" means the person or persons registered from time to time as the owner of a Lot in the Victoria Land Title Office; and
- (e) "Plans and Specification" means the plans and specifications and other items, as described in Section 5 of the Design Guidelines, to be prepared by the Owner and submitted to the Approving Authority for its review and approval.

B. Design Guidelines

1. No dwelling or structure will be erected on any Lot unless the Plans and Specifications therefor have been submitted to and approved in writing by the Approving Authority in accordance with the provisions of this Building Scheme. Any such Plans and Specifications when submitted will include exterior elevations, floor plans, a site plan, and such other documents, plans and supporting materials as requested or required by the Developer or the Agent, acting reasonably.

C. Building Siting

- 2. No dwelling or structure will be constructed without first considering the pre- and postdevelopment slope and natural characteristics of the Lot in relationship to the street and neighbouring lot(s)/home(s).
- 3. No existing dwelling or structure shall be moved onto or otherwise placed on any Lot for any purposes. No dwelling or structure will be constructed on any Lot unless it is new construction, constructed in accordance with this Building Scheme.

D. Exterior Design

4. Based on the home siting, no dwelling or structure will be constructed on any Lot unless it is designed to address view opportunities from that location as well as the visual impact on neighbouring homes and Lots and from street level.

- 29. No dwelling or other structure will be constructed on any Lot unless either:
 - (a) the main dwelling is constructed prior to the construction of any other structure on the Lot and all construction will be completed within two (2) years from the date of commencement of construction; or
 - (b) a carriage house is constructed prior to the main dwelling, in which case:
 - (i) the construction of the carriage house will be completed within two (2) years from the date of commencement of construction; and
 - (ii) the construction of the main dwelling will be completed within five (5) years from the date of the original purchase of the applicable Lot from the Developer by a purchaser/owner.
- 30. Prior to the construction of a dwelling or structure upon a Lot, the purchaser/owner will not permit the Lot to become overgrown with vegetation or weeds nor permit any garbage, materials or debris to be placed or stored on the Lot or elsewhere in the development.

- 5. The same house design must not be repeated on any Lot, including any reversed or mirror images of house design.
- 6. No dwelling or structure will be constructed on any Lot unless:
 - (a) a minimum of two (2) different approved cladding materials are used;
 - (b) trim boards and other exterior detailing are used consistently on all faces of the exterior to avoid a *front and back* appearance using 4" curb faces or better;
 - (c) the architectural style reflects a "West Coast rural" setting or "Cape Cod Farmhouse"; and
 - (d) articulating elements provide surface relief, depth and shadows to the façade.
- 7. No satellite receiving dishes will be erected on the rooftop of any dwelling or structure constructed on any Lot nor in any yard area visible from the street and will be mounted discreetly.
- 8. Exterior lighting will not be installed within fifteen (15) meters of any Lot boundary.

E. Yard and Slopes

- 9. No dwelling or structure will be constructed on any Lot unless the design of each dwelling or structure and lot grading works with the available grades.
- 10. Finished yard grades will not exceed a maximum of 2H:1V (50%) slope, with any slopes greater to be retained.

F. Exterior Colours

- 11. No paint will be used on the exterior of any dwelling or structure constructed on a Lot unless:
 - (a) such paint colour(s) are selected from within the Benjamin Moore "Historical Colours" palette; and
 - (b) such paint complements the natural stained timbers, wood trims and brick/stone façade of such dwelling or structure.
- 12. The same or very similar paint colour schemes must not be repeated as among the dwellings constructed on Lots adjacent or in close proximity to one another.

G. Roof Design

13. No dwelling or structure will be constructed on any Lot without having a minimum roof pitch of 6¹/₂V/12H and no single-pitched roofs of any dwelling or structure will be constructed on any Lot without having a minimum roof pitch of 1.5V/12H.

- 14. No overhangs will be constructed on any dwelling or structure on any Lot without being a minimum of 24" (not including any architectural relief such as barge board detail) on roof cable ends.
- 15. No roofing materials will be used on any dwelling or structure on any Lot unless:
 - (a) a roofing material other than cedar shakes or shingles is used. Fiberglass asphalt shingles may only be used if they have a minimum 35 year warranty. Painted standing seam metal roofing will not be used;
 - (b) the colour of any such roofing material will be "earth tone", in the range of brown to charcoal grey to black and is evenly toned;
 - (c) all roof stacks, flashings, or any other roof protrusions are to be of baked enamel;
 - (d) all metal chimney pipes are enclosed; and
 - (e) gutters and rainwater leaders and soffits are baked enamel.

H. Driveways and Garages

- 16. No driveway will be constructed on any Lot unless it is constructed in a manner to control drainage of stormwater on the Lot.
- 17. No garage will be constructed on any Lot unless such garage has a closing door and is of a style suited to the architecture of the dwelling on the Lot.
- 18. No carports will be constructed within any structure on any Lot.

I. Landscaping

- 19. No landscaping will be constructed or installed on any Lot unless such landscaping relates to the West Coast rural setting and unless a majority of plants are selected according to indigenous values and blend from the developed areas transitioning into the natural environment
- 20. No portion of the landscaping of any Lot may be disturbed, unless within 60 days after a certificate of completion for the construction of the dwelling or structure has been issued the landscaping is thereafter returned to its natural state.
- 21. No front yard landscaping will be constructed or installed unless:
 - (a) such landscaping includes top soiling, grading, planting and lawn planting; and
 - (b) the side yard of a corner Lot is planted the full depth of the building site, undisturbed natural and does not have to be replaced.

J. Recreational Equipment and Accessory Buildings

- 22. No trailers (excluding RV's, motorhomes and horse trailers), mobile or manufactured homes, boats, recreational equipment or other similar equipment will be stored on any Lot unless stored inside a dwelling or other structure on the Lot or behind fencing or screening such that the stored item is not visible from the street or otherwise in public view.
- 23. Accessory buildings, garages, carriage houses or structures must not be constructed on any Lot unless such accessory building or structure matches and complements the primary dwelling in finish and colour.

K. Construction Protocol and Lot Appearance

- 24. During the course of house construction and at all other times, no owner of a Lot will permit any construction debris, garbage or waste to accumulate on a Lot.
- 25. No owner of a Lot will permit any construction debris to remain 30 days after a certificate of completion for the construction of the dwelling or structure has been issued.
- 26. No owner of any Lot will burn garbage upon such Lot nor within the development.
- 27. No owner of any Lot will dispense of concrete into any drainage system.

L. Construction Process

- 28. No purchaser/owner will apply for a building permit for any dwelling upon a Lot without first submitting to the Approving Authority one full-size set of plans to scale and three 11"x17" set of plans for the proposed dwelling or structure, including the following:
 - (i) Survey Plan;
 - (ii) Floor Plan(s);
 - (iii) Cross Sections;
 - (iv) Elevations;
 - (v) Colour Chart and Material List;
 - (vi) Site Plan showing landscaping;
 - (vii) Letter of Authorization from purchaser/owner (in the case that an agent is used); and
 - (viii) any other drawings, photos, material, or information as may be applicable

for confirmation by the Approving Authority that the above Plans and Specifications indicate that the improvements to be constructed on a Lot are to be constructed in accordance with the terms of this Building Scheme.



Well Cons. action Report PRILLWELL ENTERPRISES L. 4994 Policey Road ☐ Well Closure Report

Ministry of Environment Well Closure Report Stan Dutte can rB. Carly 91:6W3 ss/

Ministry Well ID Plate Number: 42474
Viinistry Well Tag Number:
Confirmation/alternative specs, attached
Original well construction report attached

Red lette	ing ind	cates mini	mum manda	ory inform	ation.			T II	See rev	erse for r	otes & definitio	ns of abb	reviations
			ar ho						יר ד	1/	00		1/20 25
Mailing ac	idress: _£	<u> 516-1</u>		LOASU							Prov. B.C.		
Well Loca	tion: Add	iress: Stree آء	et no		Street nam	1e /4(170	NOC SCA			To	wnRgZLand	1 Dietrict	alton
(or) Legal	description	on: Lot_	Plan and Descrip	tion of well	D.I Llocation	L n (attach ske	etch. if nec	ск « Л:	sec. <u>7</u>	twp	_ ry Lain	2 District O	
(or) 5151: "			and Descrip	MON OF WES	0041.0.	· /accaon on							
NAD 83:	Zone:	10	and UTM Ez	sting:	04	34 <i>85</i>	3	or m			ote 3):		
(see note 2	2)	<i>→</i> 1.	UTM NO	orthing:	540	10159	🗆 :	_m ^{Or}	_		/enacity):		
											(specify):		
Orientalic Class of v	vell (see r	note 5):	John er	Sanda	sievation (· Sub-class o	of well:	Dom	25ti	C			
Water supp	lv wells: inc	licate intende	d water use: 🕱	private dome	stic .□ wa	ater supply sy	∕stem □ irr	igation [comme	rcial or indu	strial 🔲 other (spe	ecify):	
· · · · · · · · · · · · · · · · · · ·			(see notes 7-1							er-bearing			
From	То	Relative	Colour	Material Des	cription (L	Jse recomme	ended terms	on revers	e. _I Estir	nated Flow	Observations (e.	g., fracture	d, weathered,
ft (bgl)	ft (bgl)	Hardness			 1	ecreasing am	,			JSgpm)	well softed, sit	y wasii, on	Journ description
0_	13	5	Brown	Silly		1 .	_	_		<u> </u>	37 We	1 55	
13	45	5	Brown	Sands						· ·		,:,-	
45	5/	5	Brewn			<u>1-Cours</u>		<u>d - 4 í hæ</u>	-	<u>-76</u>		1 (000
57	70	5-M	Grey						.	d .	water Se	<u> ماحک 0</u>	4057
70_	82	:5-M	Grey	Large (oravel-	- Mixed	<u>l Sandi</u>	<u>`</u>		<u>1-7</u>		<u></u>	
82	101	<u>M</u>	Grey	Tivl	7					<u> </u>	No wad	Ter	
101	103	Μ	Grey	Bedra	<u>t - S</u>	rale_				Ø			
			ļ								<u> </u>		
	Į .			 					<u> </u>				
		<u> </u>	<u> </u>			-1.				·	<u> </u>		
	,	1											
Casino	ı details	5			Wall		Scree	n deta	ils	•			
From	To	Dia C	asing Material	Open Hole		S Drive	From ft (bgl)	ft (b		Dia in	Type (see note	e 18) [.]	Slot Size
ft (bgl)	ft (bgl)		teel/remo	C2 \		Silve	- (C)	85			PVC	<u> </u>	
Ø	le	10 5	reely tember	ا		_				`			
B	45	8	Steel		.2(9	SQ.							
							. []	<u></u>					<u></u> .
Surfaces	ealt Tyner	Ren	funite	מ	epth:	16` n	Intake:	Screer	n 🗆 O	pen bottom	Uncased hole	9	
		. ^	i 🗌 Pumped		*	in				e 🗌 Pipe			,
Backfill: T	уре:				epth:	ft					Plastic Ot		
Liner: 🗀	PVC Z	Other (spe	cify): Slotte	2 PVC	Scree	<u> </u>	Screen	opening: ,	KZ∄ Cont ⊐ Ball [inuous slot	☐ Slotted ☐ F ☐ Plate ☐ Other	ertorated b	яре.
Diameter	: 9	in	gl) Perforated:	Thickness:	/hal\ Tar	in 45 # (bal)	Filter pa	ack: From	85 ft	To: <u>43</u> ft	Thick	kness:	$\mathcal{Q}_{\underline{}}$ in
From:	<u></u> π (pgi)	(ο <u>: ΟΟ</u> π (ο)	gi) Periorated:	Prom: <u>90</u> II	. (bgi) To.	7 Control	Type ar	nd size of	material:	10/2	lo Sand		
Develo	oped by	/:					Final	well co		tion dat			3
☐ Air lift	ing □ Sι	irging 🔲 Je	etting 🔲 Pump	oing 🛱 Baili	ng	·	1	epth drilled	d: <u>ે હિ</u> છું <i>નુ</i>		Finished well of		ft (bgl)
Other	(specify):			Total	duration:_	hrs	Final st SWL:	іск up:		in _ft (btoc)	Depth to bedro Estimated well		<u>少(</u> ft (bgl) 体 USgpm
Notes:								n flow:			gpm, or Artesian p		
		imated b	i y: Bailing □ Oth	or (on a nife)			Туре о	f well cap:	الماحا	1 on	Well	disinfected	i:ÆlYes □ No
□ Pump Rate:	oing ∟ A	' /	USgpm Dura		2	hrs	Where	Where well ID plate is attached: on Casing					
	ore test:		btoc) Pumpin			ft (btoc)	1			mation:	•		
Obvious water quality characteristics:					1	Reason for closure: Method of closure: Poured Pumped							
☐ Fresh ☐ Salty ☐ Clear ☐ Cloudy ☐ Sediment ☐ Gas Colour/odour: ☐ Clear ☐ Cloudy ☐ Water sample collected: ☐					Sealan	Sealant material: Backfill material:							
Colour/o			i wreuj.	Water:	sample co	ilected: 🔼	Details	of closure	(see note				
		rint clearly): :) (see note	19).	WH A) n. 112	1500							
		.) (see note 2 (see note 2		ouia	1403	Poul Sta	√ Date	of worl	k (Y,YYY	/MM/DD):			1 :
Consul	tant (if app	licable; nam	e and company):			Starte			127	Completed:	2015	103/04
DECLAR has been	RATION: We	ell construction cordance with	n, well alteration the requiremen	or well closure ts in the <i>Water</i>	as the car Act and th	ise may be, je.Ground					,		
Water Pr	otection Re	gulation.	nsible		776	austr	~ ——						
PLEASE	MOTE: Th	e information	recorded in this v	veli report des	cribes the	works and hyd	drogeologic c	onditions a	t the time	of construct	ion, white: Custon a canary: Driller	ner copy Sh	eetl_of
aneration number o	of closure of factors, ir	, as use case. Icluding natur	nay be. vveli yiel al variability, hun	an activities a	ind condition	on of the work	s, which may	change or	ver time.	u	a canary: Driller pink: Ministr	у сору [

Client/Code Drillwell Enterprises Ltd. - M 4994 Polkey Rd. Duncan, BC V9L 6W3

04Mar15 Well

2:36p

W118850

Date Source

water

No.

Type of Sample 1

No. of Samples

Arrival temp.: 9.00

Comments

Sample: Lot 24

Lo-4

Sample

·Fecal Time

Coliforms E.coli

Units

Well # 42474

03Mar15 16:00p

Date

TEL: (800) 746-7444 FAX: (250) 746-8404

drill@drillwell.com

ND

ND

CFU/100mL

= none detected MD * membrane filtration

E. coli = Escherichia coli. FDA/BAM 8th ed, 1995 + Revision A, 1998; May 2009 Bergy's Manual of Systematic Bacteriology vol 1, ABAC 1984: J.Clin.Micro., J.Intern.Systm.Bact.

Fecal Coliforms may also be known as Thermotolerant Coliforms

Results may be adversely affected if samples are submitted to the laboratory more than 24 to 30 hours after collection.

> K. Paneque Martinez Microbiologist

₩.į Riggş Microbiologist



ANALYTICAL & TESTING SERVICES P.O. BOX 2103, SIDNEY, B.C. V8L 3S6

TEL: (250) 656-1334 FAX: 656-0443





The information and documentation included in this package was gathered from assumed reliable sources, but should not be relied upon without further independent investigation and verification.

Dan Johnson, Realtor® - Pemberton Holmes Ltd 23 Queens Rd, Duncan BC V9L 2W1 250-709-4987

www.duncanbcrealestate.ca